Askina® Carbosorb

The combination of a **superabsorbent** wound dressing and **activated charcoal**

B|BRAUN
SHARING EXPERTISE

Askina® Carbosorb

More time to care for your patients

Excessive wound exudate can delay wound healing.[1] Most wounds have a slight odor, and malodor is the most distressing and socially isolating symptom associated with wounds.[2]

With Askina® Carbosorb, you can manage excess **exudate and malodor at the same time.**

High exudate control

Moderate to heavy exudate is absorbed.

Odor control

Activated charcoal adsorbs wound malodor.

High level of retention

The risk of maceration can be reduced.

Composition of the six-layer dressing



Examples: How to apply and fix Askina® Carbosorb

Select the size of the dressing so that it covers the wound edges. Carefully place the dressing with the white hydrophilic side directly on the wound surface. Fix the dressing with an appropriate bandage or tape.

Ordering information

Name	Size	Quantity per box	Reference
Askina® Carbosorb	10 x 10 cm	10	WIN9025006
Askina® Carbosorb	10 x 20 cm	10	WIN9025014
Askina® Carbosorb	20 x 20 cm	10	WIN9025015

References
1 Harding K, Carville K, Chadwick P, Moore Z, Nicodème M, Percival SL, Romanell M, Schultz G, Tariq G,World Union of Wound Healing Societies (WUWHS). Consensus Document. Wound exudate: effective assessment and management, Wounds International, 2019. https://www.wuwhs.org/wp-content/uploads/2020/09/exudate.pdf

2 Gethin G, Grocott P, Probst S, Clarke E. Current practice in the management of wound odour: an international survey. Int J Nurs Stud. 2014 Jun;51(6):865-74. doi: 10.1016/j.ijnurstu.2013.10.013. Epub 2013 Oct 25. PMID: 24238490.

B. Braun Avitum AG | 34209 Melsungen | Germany
Phone +49 5661 71-0 | www.bbraun.com

07-2023